


Heat Shrinkable Single Core Cables

Electrical Performance

Tests	12 KV System	15-24KV System	36 KV
AC Dry Withstand voltage	35KV/1 minute	50KV/1 Minute	75KV/1 Minute
DC Withstand 30 Minute	48 KV	96 KV	144KV
Lightening Impulse withstand Voltage	75 KV	125 KV	170 KV
Partial Discharge	12.7 Kv < 5 Pc	25 Kv < 5 Pc	38 Kv < 5 Pc



Accessories and optional items

Solderless and special purpose earthing kits also available on request.

Polymeric Insulators and T Brackets for installation of terminations on single pole are available on request.


Note

All kits are supplied with full kit contents for making a termination.

Rain sheds for indoor termination 12 kV - No Rain shed, 15 -24 kV -1 No. Rain shed, 36 kV - 2 Nos. Rain shed.

Ordering Informations

12 KV System			15-24 KV System			36 KV System		
Cable size (sq.mm)	Kit Code		Cable size (sq.mm)	Kit Code		Cable size (sq.mm)	Kit Code	
	Indoor	Outdoor		Indoor	Outdoor		Indoor	Outdoor
16-50	CXES-11	CXOS-11	16-50	CXES-21	CXOS-21	25-50	CXES-31	CXOS-31
70-120	CXES-12	CXOS-12	70-150	CXES-22	CXOS-22	70-185	CXES-32	CXOS-32
150-300	CXES-13	CXOS-13	185-300	CXES-23	CXOS-23	240-500	CXES-33	CXOS-33
400-630	CXES-14	CXOS-14	400-630	CXES-24	CXOS-24	630-800	CXES-34	CXOS-34
800-1000	CXES-15	CXOS-15	800-1000	CXES-25	CXOS-25	1000	CXES-35	CXOS-35



CXSS-1236 Series

Electrical Performance

Tests	12 KV System (6.6/6.6 KV, 6.35/11KV)	15-24KV System (8.7/15KV, 11/11KV,12.7/22KV)	36KV (19/33KV)
AC Dry Withstand voltage	35KV/1 minute	50KV/1 Minute	75KV/1 Minute

DC Withstand 30 Minute	48 KV	96 KV	144 KV
Lightening Impulse withstand Voltage	75 KV	125 KV	170 KV
Partial Discharge	12.7 Kv<5 Pc	25 Kv<5 Pc	38 Kv<5 Pc

Ordering Informations

12 KV System Cable Size (sq. mm)	Kit Code	15-24 KV System Cable Size (sq. mm)	Kit Code	36 KV System Cable Size (sq. mm)	Kit Code
16-50	CXSS-11	16-50	CXSS-21	25-50	CXSS-31
70-120	CXSS-12	70-150	CXSS-22	70-185	CXSS-32
150-300	CXSS-13	185-300	CXSS-23	240-500	CXSS-33
400-630	CXSS-14	400-630	CXSS-24	630-800	CXSS-34
800-1000	CXSS-15	800-1000	CXSS-25	1000	CXSS-35