

Life Is On

Schneider
Electric



Final Distribution & Wiring Devices Retail Pricelist

Maximum Retail Price Effective 29th December 2016



Green Range of MCBs, RCCBs and Isolators


Reliable Protection - Now Simplified!

Effective 29th December, 2016

Easy9 MCBs

Miniature Circuit Breaker (MCB)

- ISI / CE Marked as per IS/IEC 60898 -1
- Breaking Capacity 10kA
- Green Compliance: RoHS, REACh, EoLI, PEP
- Energy Limiting Class 3
- Trip Free Mechanism
- Fast Tripping
- Suitable for Positive Isolation
- Line Load Reversibility
- Laser Printing
- Bi-connect Terminals
- Degree of Protection IP20
- Operating Voltage 240V / 415V
- Frequency 50Hz



Easy9 - B Curve

Single Pole B Curve



Reference	Rating	Pack Size*	MRP (₹)
EZ9F21106	6A	12	190
EZ9F21110	10A		190
EZ9F21116	16A		190
EZ9F21120	20A		190
EZ9F21125	25A		190
EZ9F21132	32A		190
EZ9F21140	40A		414
EZ9F21150	50A		480
EZ9F21163	63A		480

Double Pole B Curve



Reference	Rating	Pack Size*	MRP (₹)
EZ9F21206	6A	6	622
EZ9F21210	10A		622
EZ9F21216	16A		622
EZ9F21220	20A		622
EZ9F21225	25A		622
EZ9F21232	32A		622
EZ9F21240	40A		896
EZ9F21250	50A		1045
EZ9F21263	63A		1045

Three Pole B Curve



Reference	Rating	Pack Size*	MRP (₹)
EZ9F21306	6A	4	972
EZ9F21310	10A		972
EZ9F21316	16A		972
EZ9F21320	20A		972
EZ9F21325	25A		972
EZ9F21332	32A		972
EZ9F21340	40A		1425
EZ9F21350	50A		1520
EZ9F21363	63A		1520

Four Pole B Curve



Reference	Rating	Pack Size*	MRP (₹)
EZ9F21406	6A	3	1360
EZ9F21410	10A		1360
EZ9F21416	16A		1360
EZ9F21420	20A		1360
EZ9F21425	25A		1360
EZ9F21432	32A		1360
EZ9F21440	40A		1810
EZ9F21450	50A		1935
EZ9F21463	63A		1935

Easy9 - C Curve

Single Pole C Curve



Reference	Rating	Pack Size*	MRP (₹)
EZ9F71106	6A	12	206
EZ9F71110	10A		206
EZ9F71116	16A		206
EZ9F71120	20A		206
EZ9F71125	25A		206
EZ9F71132	32A		206
EZ9F71140	40A		430
EZ9F71150	50A		492
EZ9F71163	63A		492

Double Pole C Curve



Reference	Rating	Pack Size*	MRP (₹)
EZ9F71206	6A	6	630
EZ9F71210	10A		630
EZ9F71216	16A		630
EZ9F71220	20A		630
EZ9F71225	25A		630
EZ9F71232	32A		630
EZ9F71240	40A		928
EZ9F71250	50A		1065
EZ9F71263	63A		1065

Three Pole C Curve



Reference	Rating	Pack Size*	MRP (₹)
EZ9F71306	6A	4	992
EZ9F71310	10A		992
EZ9F71316	16A		992
EZ9F71320	20A		992
EZ9F71325	25A		992
EZ9F71332	32A		992
EZ9F71340	40A		1440
EZ9F71350	50A		1535
EZ9F71363	63A		1535

Four Pole C Curve



Reference	Rating	Pack Size*	MRP (₹)
EZ9F71406	6A	3	1390
EZ9F71410	10A		1390
EZ9F71416	16A		1390
EZ9F71420	20A		1390
EZ9F71425	25A		1390
EZ9F71432	32A		1390
EZ9F71440	40A		1845
EZ9F71450	50A		1975
EZ9F71463	63A		1975

*Orders to be placed in multiple of pack size

Easy9 RCCBs

Residual Current Circuit Breaker (RCCB) - AC Type

- ISI / CE Marked as per IS/IEC 61008-1
- Green Compliance: RoHS, REACH, EoLI, PEP
- Voltage Independent RCCB
- Suitable for Positive Isolation
- Laser Printing
- Bi-connect Terminal
- Degree of Protection IP20
- Operating Voltage 240V / 415V
- Frequency 50Hz

Double Pole					
Reference	Rating	Sensitivity	Pack Size*	MRP (₹)	
EZ9R35225	25A	30mA	6	2450	
EZ9R35240	40A			2495	
EZ9R35263	63A			3305	
EZ9R55225	25A	100mA		2500	
EZ9R55240	40A			2620	
EZ9R55263	63A			3470	
EZ9R65225	25A	300mA		2500	
EZ9R65240	40A			2545	
EZ9R65263	63A			3370	



Four Pole					
Reference	Rating	Sensitivity	Pack Size*	MRP (₹)	
EZ9R35425	25A	30mA	3	3190	
EZ9R35440	40A			3200	
EZ9R35463	63A			3405	
EZ9R55425	25A	100mA		3250	
EZ9R55440	40A			3315	
EZ9R55463	63A			3575	
EZ9R65425	25A	300mA		3250	
EZ9R65440	40A			3255	
EZ9R65463	63A			3475	



Easy9 Isolator

- CE Marked, AC - 22A, Conforms to IEC 60947-3
- Green Compliance: RoHS, REACH, EoLI, PEP
- Suitable for Positive Isolation
- Line Load Reversibility
- Laser Printing
- Bi-connect Terminals
- Degree of Protection IP20
- Operating Voltage 240V / 415V
- Frequency 50Hz

Double Pole				
Reference	Rating	Pack Size*	MRP (₹)	
EZ9S66240	40A	6	402	
EZ9S66263	63A		514	
EZ9S66280	80A		684	



Three Pole				
Reference	Rating	Pack Size*	MRP (₹)	
EZ9S66340	40A	4	808	
EZ9S66363	63A		916	




Four Pole				
Reference	Rating	Pack Size*	MRP (₹)	
EZ9S66440	40A	3	926	
EZ9S66463	63A		942	
EZ9S66480	80A		1235	



*Orders to be placed in multiple of pack size

Complete Range for:



Office



Home



Mall



Hotel



Hospital

Easy9 Distribution Boards

Effective 29th December, 2016



Features

- Ingress Protection levels
 - IP42 for Double Door Versions
 - IP30 for Single Door Versions
- Zero Installation Error: Reduction in Installation time and better mounting accuracy
- Sturdy U-Box design
- Installer friendly design with more wiring space
- Available in Grey colour - aesthetically suitable to all interiors

Easy9 DBs		
Reference	Description	MRP
EZ9HSS06F	Easy9 DB 6W SPN SD	870
EZ9HSS08F	Easy9 DB 8W SPN SD	940
EZ9HSS12F	Easy9 DB 12W SPN SD	1,155
EZ9HSS18F	Easy9 DB 18W SPN SD	1,495
EZ9HSD06F	Easy9 DB 6W SPN DD	1,260
EZ9HSD08F	Easy9 DB 8W SPN DD	1,410
EZ9HSD12F	Easy9 DB 12W SPN DD	1,765
EZ9HSD18F	Easy9 DB 18W SPN DD	2,405
EZ9HTD04F	Easy9 DB 4W TPN DD	2,920
EZ9HTD06F	Easy9 DB 6W TPN DD	3,640
EZ9HTD08F	Easy9 DB 8W TPN DD	4,730
EZ9HTD12F	Easy9 DB 12W TPN DD	7,105
EZ9HSN20F	Easy9 DB 20A SP+N Plug & Socket	890

NeoBreak Distribution Boards

NeoBreak Distribution Boards are designed to distribute electrical power in residential and non residential applications. The offered range is the right choice for effective distribution of electrical power and comprises of neutral link, shorting link, earth link and interconnecting wires.

Features

- Zero error installation
- Independent intermittent shield
- IP43 for DD, IP30 for SD



TPN DBs				
No. of Ways	Single Door		Double Door	
	Reference	Unit MRP (₹)	Reference	Unit MRP (₹)
4	NBKRENTHSD04	2,345	NBKRENTHDD04*	3,070
6	NBKRENTHSD06	2,985	NBKRENTHDD06*	3,860
8	NBKRENTHSD08	3,570	NBKRENTHDD08*	4,825
12	NBKRENTHSD12	5,170	NBKRENTHDD12	7,315

SPN DBs				
No. of Ways	Single Door		Double Door	
	Reference	Unit MRP (₹)	Reference	Unit MRP (₹)
4	NBKRENSNSD04	815	NBKRENSNDD04*	1,265
6	NBKRENSNSD06	1,010	NBKRENSNDD06*	1,400
8	NBKRENSNSD08*	1,090	NBKRENSNDD08*	1,515
12	NBKRENSNSD12*	1,285	NBKRENSNDD12*	1,840
16	NBKRENSNSD16	1,605	NBKRENSNDD16	2,505



Vertical TPN DBs				
No. of Ways	Single Door		Double Door	
	Reference	Unit MRP (₹)	Reference	Unit MRP (₹)
4	NBKRENTVSD04	6,040	NBKRENTVDD04	7,930
8	NBKRENTVSD08	8,295	NBKRENTVDD08	9,935
12	NBKRENTVSD12	11,000	NBKRENTVDD12	13,325

Vertical TPN DB with 100A 3P/4P Easypact MCCB incomer		
Reference	Type	Unit MRP (₹)
NBKRENEZVDD04	VTPN 4 Way Double Door	9,025
NBKRENEZVDD08	VTPN 8 Way Double Door	10,935
NBKRENEZVDD12	VTPN 12 Way Double Door	14,375




Plug & Socket DBs

Reference	Type	Unit MRP (₹)
NBKRENPSPP10	10A SP P&S DB	1,215
NBKRENPSPP20	20A SP P&S DB	1,270
NBKRENPSN20	20A SPN P&S DB	975
NBKRENPSTP20	20A TP P&S DB	2,410
NBKRENPSTP30	30A TP P&S DB	2,855

Metal Enclosures

Reference	Type	Unit MRP (₹)
NBKPM1	1 way NeoBreak Metal Enclosure	370
NBKPM2*	2 way NeoBreak Metal Enclosure	370
NBKPM3	3 way NeoBreak Metal Enclosure	420
NBKPM4*	4 way NeoBreak Metal Enclosure	420



Phase Segregated DBs

Reference	Type	Unit MRP (₹)
NBKPSGDD04	4 Way Phase Segregated NeoBreak DB	7,885
NBKPSGDD06	6 Way Phase Segregated NeoBreak DB	9,315
NBKPSGDD08	8 Way Phase Segregated NeoBreak DB	11,125
NBKPSGDD12	12 Way Phase Segregated NeoBreak DB	14,195

Electra-Metal Clad Plug & Socket


The New Improved Electra Metal Clad Plugs & Sockets are specially designed incorporating the most up-to-date safety, quality and user friendly features for heavy duty industrial applications.

Features

- Casting is made for non-corroding die-cast aluminum alloy combining exceptional compactness with high strength
- Specially insulated interiors have high anti-tracking properties
- Floating contacts in the sockets are self-aligning and facilitates smooth plugging in without undue pressure

Electra - Plug & Socket










Reference	Poles	Type	Unit MRP (₹)	Std. Packing
AP10	2P	10A/240V Plug	170	30
AP20	2P	20A/240V Plug	180	30
BP20	3P	20A/440V Plug	235	30
BP30	3P	30A/440V Plug	430	20
CP63	3P+N	63A/440V Plug	1950	4
AS10	2P	10A/240V Socket	180	30
AS20	2P	20A/240V Socket	210	30
BS20	3P	30A/440V Socket	265	30
BS30	3P	30A/440V Socket	455	20
CS63	3P+N	63A/440V Socket	2,065	4




- **Patented Smooth Satin Finish** - Scratch Resistant, Easy to Clean & Prevents light reflection off surface
- **Safe to Use** - High grade flame retardant polycarbonate material & Child Proof sockets with unique shutter design
- **Hassle Free Operation** - "Soft sound" switches with Gold plated Data Socket contacts for better connection
- **Easy to Install** - Snap-In / Snap-Out front loading modules and terminals with indented screws
- **Green & Eco Friendly** - RoHS compliant range





























	Description	Reference for WH	Unit MRP [₹]	Reference for CG	Unit MRP [₹]
Switches					
	6A 1-Way	X1001WH	120	AAKY1001	150
	6A 1-Way with indicator lamp	X1081WH	178	AAKY1081	212
	6A 2-Way	X1002WH	148	AAKY1002	190
	16A 1-Way	X1101WH	170	AAKY1101	210
	16A 1-Way with indicator lamp	X1181WH	242	AAKY1181	284
	16A 2-Way	X1102WH	232	AAKY1102	276
	6A 1-Way switch 2 module	X1021WH	192	AAKY1021	230
	16A 1-Way switch 2 module	X1121WH	248	AAKY1121	296
	6A 1-Way switch 2 module with indicator	X1028WH	242	AAKY1028	290
	16A 1-Way switch 2 module with indicator	X1128WH	284	AAKY1128	340
	20A DP with indicator lamp	X1286WH	386	AAKY1286	450
	32A DP switch	AAKX1232	572	-	-
Bell Push					
	6A bell push	X1005WH	164	AAKY1005	196
	6A bell push (2 M)	X1025WH	226	AAKY1025	272
	6A bell push with indicator	X1085WH	218	AAKY1085	260
	6A bell push with indicator (2 M)	X1086WH	242	AAKY1086	290
Socket					
	6A 2-Pin/3-Pin Socket Outlet with Shutter	X2005WH	176	AAKY2005	210
	6A "Uni Socket" Socket Outlet with Shutter	X2007WH	220	AAKY2007	252
	16A 3-Pin Socket Outlet with Shutter	X2103WH	300	AAKY2103	360
	6A/16A 3-Pin Socket Outlet with Shutter	X2106WH	270	AAKY2106	318
	13A BS flat Pin Socket Outlet with Shutter	X2403WH	378	AAKY2403	454
	20A, 3 Pin Socket Outlet with Shutter	X2206WH	336	AAKY2206	404
	25A, 3 Pin Socket Outlet with Shutter	X2207WH	370	AAKY2207	442
	13A Multi Pin Socket Outlet with Shutter	X2010WH	288	AAKY2010	346
Dimmer/Fan Regulator					
	Dimmer 400W	X3004WH	874	AAKY3004	1050
	Dimmer 1200W	X3012WH	1125	AAKY3012	1350
	Step type fan regulator	X3200WH	622	AAKY3200	746
	Dimmer 400W in Single Module	X3104WH	564	AAKY3104	676
Buzzer					
	Buzzer	X3300WH	604	AAKY3300	668
Motor Starter Switch					
	25 A Motor Starter switch	X1186WH	1060	AAKY1186	1275
Adaptor Plate for H30 Mechanism					
	Adaptor Plate for 30 series mechanism	X0002WH	166	AAKY0002	200
Blank Off					
	Blank off unit (1 M)	X0001WH	40	AAKY0001	56
Telecommunication					
	RJ11 (no shutter)	X4010WH	148	AAKY4010	180
	RJ11 (shuttered)	X4011WH	150	AAKY4011	180
	Twin RJ11 (no shutters) 1M	X4020WH	226	AAKY4020	275
	RJ45 (shuttered)	X4045WH	560	AAKY4045	685
	TV Socket	X4500WH	132	AAKY4500	165
	RJ45 Cover for Ket stone type	X4050WH	174	AAKY4050	210
	Gripped Cord Outlet	X4550WH	146	AAKY4550	175










	Description	Reference for WH	Unit MRP [₹]	Reference for CG	Unit MRP [₹]
Cover Plates					
	1-2 M Grid & 1 M Cover Frame Combined	X0701	94	AAKY0801	114
	1-2 M Grid & 2 M Cover Frame	X0702	98	AAKY0802	118
	3 M Grid & 3 M Cover Frame	X0703	118	AAKY0803	142
	3 Module Universal Grid & 3 M Cover Frame	X0733WH	156	AAKY0833	186
	4 M Grid & 4 M Cover Frame	X0704	142	AAKY0804	170
	6 M Grid & 6 M Cover Frame	X0706	192	AAKY0806	230
	8 M Grid & 8 M Cover Frame - Linear	X0708	254	AAKY0808	300
	8 M Grid & 8 M Cover Frame - Square	X0709	298	AAKY0809	356
	12 M Grid & 12 M Cover Frame	X0712	350	AAKY0812	420
	18 M Grid & 18 M Cover Frame	AAKX0718	458	-	-
					


	Description	Reference	Unit MRP [₹]
Cover Plates			
Matt Silver			
	1-2 M Grid & 1 M Cover Frame Combined	AAKX0741	270
	1-2 M Grid & 2 M Cover Frame	AAKX0742	292
	3 M Grid & 3 M Cover Frame	AAKX0743	348
	3 Module Universal Grid & 3 M Cover Frame	AAKX0744	348
	4 M Grid & 4 M Cover Frame	AAKX0745	414
	6 M Grid & 6 M Cover Frame	AAKX0746	512
	8 M Grid & 8 M Cover Frame - Linear	AAKX0747	672
	8 M Grid & 8 M Cover Frame - Square	AAKX0748	672
	12 M Grid & 12 M Cover Frame	AAKX0749	916
Matt Gold			
	1-2 M Grid & 1 M Cover Frame Combined	AAKX0751	270
	1-2 M Grid & 2 M Cover Frame	AAKX0752	292
	3 M Grid & 3 M Cover Frame	AAKX0753	348
	3 Module Universal Grid & 3 M Cover Frame	AAKX0754	348
	4 M Grid & 4 M Cover Frame	AAKX0755	414
	6 M Grid & 6 M Cover Frame	AAKX0756	512
	8 M Grid & 8 M Cover Frame - Linear	AAKX0757	672
	8 M Grid & 8 M Cover Frame - Square	AAKX0758	672
	12 M Grid & 12 M Cover Frame	AAKX0759	916
Neon Phase Indicator			
	Neon Phase Indicator Red	X5001	238
	Neon Phase Indicator Green	X5002	238
	Neon Phase Indicator Yellow	X5003	238
Hotel Series (Available in White Colour Only)			
	DND Panel	AAKX6001	364
	DND Switch	AAKX6002	284
	MMR Panel	AAKX6003	344
	MMR Switch	AAKX6004	284
	Key Tag Switch (Mechanical Type 20 A)	AAKX6005	736
	Shaver Socket	AAKX6006	2400




- World's First and only **Full-Flat Mechanical Switch**
- **Patented Iso-Motion Technology** - Ensures switch stays in the same position whether On or Off
- **Robust & Strong** - Made of corrosion-resistant, heat-resistant and impact-resistant polycarbonate
- **Safe to Use** - Electric arc encapsulated switches and Data Sockets with patented integrated shutter
- **Designed to Last** - Switches tested to 80,000 times; Sockets tested to 15,000 cycles.
- **Green & Eco Friendly** - RoHS compliant range

	Description	Reference Number	Unit MRP [₹] WH	Unit MRP [₹] BZ
6A Switches				
	6A 1 Way Switch	IN8401	170	214
	6A 1 Way Switch (2M Size)	IN8421	254	306
	6A 2 Way Switch	IN8402	200	240
	6A 1 Way Switch With Neon	IN8481	248	298
Intermediate Switch				
	10AX Intermediate Switch	IN8430/IM	514	608
16A Switches				
	16Ax~20A 1 Way Switch	IN8401/16	238	290
	16Ax~20A 1 Way Switch (2M Size)	IN8421/16	334	396
	16Ax~20A 1 Way Switch With Neon	IN8481/16	336	398
	16Ax~20A 1 Way Switch With Neon (2M Size)	IN8482/16	396	466
	16Ax~20A 2 Way Switch	IN8402/16	332	392
	16Ax~20A 2 Way Switch (2M Size)	IN8422/16	398	468
	16AX~20A 1 Way 2G Switch in One Module	IN8444/16	386	466
Double Pole Switches				
	20A DP Switch With Neon (2M Size)	IN8486/20	518	612
	32A DP Switch With Neon (2M Size)	IN8486/32	814	968
Bell Switches				
	6A Door Bell	IN8405	220	266
	6A Door Bell (2M Size)	IN8425	322	380
	6A Door Bell With Neon	IN8485	286	338
	6A Door Bell With Neon (2M Size)	IN8486	356	420
Motor Starter Switch				
	25A Motor Starter Switch (2M Size)	IN8425MS	1,300	1,380
Sockets				
	2~3 Pin Universal Socket With Shutter	IN8426U	252	306
	16A/6A 3 Pin Socket With Shutter	IN8426/16	378	464
	13A Flat Pin Socket With Shutter	IN84213	518	612
	International Socket With Shutter	IN84213IS	446	558
	Universal 2 Pin Socket With Shutter	IN84226U	266	312
	20A 3 Pin Socket With Shutter	IN84220	482	568
	25A 3 Pin Socket With Shutter	IN84225	516	618
Dimmer/Fan Regulator				
	400W Dimmer	IN8404D	770	912
	Fan Control (5 Speeds)	IN84SFR	898	1,075

	Description	Reference Number	Unit MRP [₹] WH	Unit MRP [₹] BZ
Telecommunication				
	RJ11 1G Tel Outlet With Shutter	IN8431RJS4	258	316
	Data Outlet (RJ45) Cat 6 (Shuttered)	IN8431RJ6	898	1,105
	Data Outlet Wall Plate (For RJ45 Key Stone Jack)	IN8431RJC	246	290
	TV Socket	IN8431TV	188	228
IN8431RJS4	IN8431RJ6	IN8431RJC	IN8431TV	
Hotel Series				
	DND Panel	INH8451	1,175	1,390
	DND Switch	INH8452	580	686
	DND Switch, 2 Module	INH8453	592	698
	MMR Panel	INH8454	1,065	1,260
	MMR Switch With Shutter	INH8455	570	672
INH8451	INH8452	INH8453	INH8454	INH8455

	Description	Reference	Unit MRP [₹] WH	Unit MRP [₹] BZ	Unit MRP [₹] SZ	Unit MRP [₹] SA
Cover Plates						
	1 Module Grid and Cover Plate	IN8401C	138	164	382	382
	2 Module Grid and Cover Plate	IN8402C	144	172	378	378
	3 Module Grid and Cover Plate	IN8403C	170	202	466	466
	4 Module Grid and Cover Plate	IN8404C	184	238	560	560
	6 Module Grid and Cover Plate	IN8406C	282	336	766	766
	8 Module Grid and Cover Plate	IN8408SC	466	584	1325	1325
	8 Module Grid and Cover Plate	IN8408HC	336	402	1040	1040
	9 Module Grid and Cover Plate	IN8409C	552	688	1665	1665
	12 Module Grid and Cover Plate	IN84012C	730	898	2325	2325
	18 Module Grid and Cover Plate	IN84018C	1030	1210	3080	3080
IN8401C	IN8402C	IN8403C	IN8404C	IN8406C	IN8408SC	IN8408HC
IN84012C	IN84018C	IN8409C				

	Description	Reference	Unit MRP [₹] WH	Unit MRP [₹] BZ
Blank Off Cover				
	1 Module Size Blank Off Cover	IN8430X	56	68
Others				
	Foot Lamp with White LED (2M Size)	IN8490FLW	1700	
	Foot Lamp with Yellow LED (2M Size)	IN8490FLY	1655	
	Cord Outlet (Connection Unit)	IN8445CO	198	236



* Available ex warehouse


For Dark Grey Colour Module Switches and Sockets add (BZ) as Suffix

For Colour plates add following Suffix: Dark Grey Colour (BZ), Silver Bronze Colour (SZ), Silver Satin Colour (SA)


Metal Boxes

Effective 29th December, 2016

- Weld free design to minimize corrosion and rusting without compromising on strength
- Mounting clip and earth pin designed for easier installation and to avoid loss during transportation
- Removable side plates and optimized knock outs and for easier wiring
- Completely tested & validated as per IS 14772



	Description	Reference	Unit MRP [₹]
Metal Boxes for Indian Format Ranges (Livia, Opale & ZENcelo India) New			
0.8 mm thickness			
	Metal Box 1 & 2 modules	ME0102	76
	Metal Box 3 modules	ME0103	98
	Metal Box 4 modules	ME0104	112
1 mm thickness			
	Metal Box 1 & 2 modules	MR1102	85
	Metal Box 3 modules	MR1103	110
	Metal Box 4 modules	MR1104	129
	Metal Box 6 modules	MR1106	176
	Metal Box 8 modules - Horizontal	MR1108	232
	Metal Box 8 modules - Square	MR1109	232
	Metal Box 12 module	MR1112	284
	Metal Box 18 modules	MR1118	339



Metal Boxes (British Standard)


- Special Metal Box with Gang Partition to accommodate BS format ranges
- Single Metal Box can accommodate up to 4 units
- Number of Gangs for Metal Box = Number of units that it can accommodate (Eg. 3 GANG Metal Box can accommodate up to 3 BS format Units)

	Description	Reference	Unit MRP [₹]
Metal Boxes for BS Format Ranges (ZENcelo BS, Neo, Ulti)			
1 mm thickness			
	2 Gang GI Metal Boxes	GM1102	198
	3 Gang GI Metal Boxes	GM1103	288
	4 Gang GI Metal Boxes	GM1104	380


Schneider Electric is the global specialist in energy management and automation. With revenues of ~€27 billion in FY2015, our 160,000+ employees serve customers in over 100 countries, helping them to manage their energy and process in ways that are safe, reliable, efficient and sustainable. From the simplest of switches to complex operational systems, our technology, software and services improve the way our customers manage and automate their operations. Our connected technologies reshape industries, transform cities and enrich lives.

At Schneider Electric, we call this Life Is On.

Schneider Electric Global footprint



Schneider Electric India footprint



Our business offerings

Span the entire spectrum from Plant-to-Plug.



Life Is On

Schneider
Electric

schneider-electric.co.in

Ahmedabad

Schneider Electric India (P) Ltd.
42 A, 4th Floor, Space House,
Opp. Sri Krishna Centre,
Mithakali Six Roads,
Ahmedabad - 380009
Tel.: 079-3940400

Cochin

Schneider Electric India (P) Ltd.
41 / 406- D1,3rd Floor, Beejay
Towers, Rajaji Road
Cochin - 682035
Tel.: 0484-3048401

Lucknow

Schneider Electric India (P) Ltd.
1st Floor, Asha Bhawan
27 / II -A, Gokhale Marg,
Lucknow - 226001
Tel.: 0522-4006010

Secunderabad

D.No. 1-8-271, # 401,
Ashoka Bhoopal Chambers,
SP Road,
Secunderabad - 500003
Tel.: 04039404000
Fax.: 040-39131313

Bangalore

Schneider Electric India (P) Ltd.
4th floor, Electra, Wing A,
Exora Business Parks, Marathahalli
Sarjapur Outer Ring Road,
Bangalore - 560103
Tel.: 080 4333 3333

Coimbatore

Schneider Electric India (P) Ltd.
No. -104, Classic Tower,
3rd Floor, Trichy Road,
Coimbatore - 641018
Tel.: 0422-3940400

Ludhiana

Schneider Electric India (P) Ltd.
Office No. - 3, 5th Floor,
Novelty Plaza Bhairwala Chowk
Ludhiana - 140001
Tel.: 0161- 4656672-75

Vadodara

Schneider Electric India (P) Ltd.
Ground Floor, Vanijya Bhavan
Race Course Circle
Alkapuri, Vadodara - 390007
Tel.: 0265-3940400

Chandigarh

Schneider Electric India (P) Ltd.
2nd Floor of Tower A
Bestech Business Tower
Sector-66
Mohali - 160059
Tel.: 0172-3324500

Jaipur

Schneider Electric India (P) Ltd.
Jaipur Business Centre 309,
3rd Floor, Sangam Tower 190,
Church Road,
Jaipur - 302001
Tel.: 0141-3912903

Mumbai

Schneider Electric India (P) Ltd.
Marwah House, 2nd Floor
Krishanlal Marwah Marg,
Andheri (East), Mumbai - 400072
Tel.: 91-22-30263300

Vishakhapatnam

Schneider Electric India (P) Ltd.
Ratnam's Business Centre,
D.N.10-1-43, 1st Floor
Siripuram Fort, C.B.M.Compound,
Visakhapatnam - 530016
Tel.: 0891 - 2508990

Chennai

Schneider Electric India (P) Ltd.
172, Poonamallee Bypass Road
Chennai - 600056
Tel.: 91-44-30962300

Kolkata

Schneider Electric (I) Pvt. Ltd.
BP-4, Sector-V
Technopolis
3rd floor, Salt Lake City
Kolkata - 700 091
Tel.: 033-333640100-101

Pune

Schneider Electric India (P) Ltd.
1st Floor, R.B. Business Centre
Above Dass Electronics
Sanghvi Nagar, Aundh,
Pune - 411007
Tel.: 020-39404000

Schneider Electric India Pvt. Ltd.

Corporate Office
9th Floor, DLF Building No.10,
Tower C, DLF Cyber City, Phase II,
Gurgaon - 122002, Haryana.
Tel: 0124 3940400, Fax: 0124 4222036
www.schneider-electric.co.in

Customer Care Centre

Toll-free numbers: 1800 103 0011, 1800 425 4272
General number: 0124 4222040
Email: in.campaign@schneider-electric.com

Distributor